ACCOUNT-BASED INFORMATION CONTROL AND EXCHANGE UTILITY




Figure 1

ACCOUNT-BASED ON REQUEST INFORMATION CONTROL AND EXCHANGE UTILITY




Figure 2

SYSTEM ARCHITECTURE FOR THE PRESENT INVENTION




Figure 3

91.2 Deleta Checked Mail	٦٥.	956	954	mail Wember From	908 Lock Box			Search the Web for		Sign Out 942	关	Ontions 938	Ses	Folders 932	Compose 930	Check Mail 928 From	reisonal mbox	Powered by ZoEmail—Zero Spam, Enhanced Privacy e-Mail 920 922 924 926	bu Service F
Waii	948 Emply Trash			Date Subject												Date Subject 916	urbox Uratt Trash	am, Enhanced Privacy e-N 22 924 926	ABC Service Provider e-Mail Service
Choose Folder ♦ Move				Size				98	9		976	972	970	966 968	964	Size		Wail	all Service
		Promotional Pa	<u>S</u>		986 M Add D elete 988	M □ No Time Limit	982 5 DAYS WEEKS MONTHS	AUTILE BO KEEP ACTIVE:	-8	SEND:	<type in="" request="" your=""></type>	Sport Utility Vehicles	X)Projection TV—Best D	XICamping Mestern IIIs	ACTIVE REQUESTS	OMY REQUEST			Welcome

Figure 4

. .

"AT MY REQUEST"—DYNAMIC ON REQUEST SELECTION ENGINE™: USER-CUS ON SCREEN PERSONAL INFORMATION CONTROL DASHBOARD




Figure 5a

IIZABLE INFORMATION CONTROL & EXCHANGE UTILITY

804
AMR POP UP FOR REQUEST CUSTOMIZATION




Figure 5b

"AT MY REQUEST"—GEOGRAPHIC REQUEST SPECIFICATION PANEL




Figure 6

"AT MY REQUEST"—DETAIL OF CUSTOMIZATION ENGINE




Figure 7

"AT MY REQUEST"—REPRESENTATION OF CENTRAL POSTING SYSTEM OF AC




Figure 8a

E E-MAIL INVENTORY—WITH TWO ALTERNATIVE MEANS OF UPDATING




Figure 8b

the device to the contract enterpresent the present of the street of the street of the second and the second of

1400 "AT MY REQUEST"—SUPPLIER ACCOUNT MANAGEMENT INTERFACE

				DATE:	TIME:	
	PRIMARY	☐ Agency	☐ Client	BACKUP	□ Agency	□ Client
Name:	1406	1408	1410	1412	1414	1416
e-mail:						
Phone:						
Fax:						
Mail:				·		
waii.				-		
BILLING	CONTACT	1446	1448	1450	1452	1454
1444	PRIMARY	☐ Agency	☐ Client	BACKUP	☐ Agency	☐ Client
Name:			······································			
e-mail:						
Phone:						
Fax:						
nax. Mail:				-		
wan.			V2.5	-	***************************************	
	•				•	
	•					
Client:						
Brand:				***************************************		
Product I	ines:					
Campaig	ns: <nam< td=""><td>e> 1466</td><td></td><td><tracking< td=""><td>code> 1468</td><td></td></tracking<></td></nam<>	e> 1466		<tracking< td=""><td>code> 1468</td><td></td></tracking<>	code> 1468	
		.				
Viaster Co	ontract:			······································		
Affiliate f	Relationshi	p:				
Current V	olume Disc	ount:				
xclusivit	ies (if any):					
VIEW F	RIOR EDIT	CAMPA	AIGN PLANNING)	CLASSIFY		RESUL
						

State of the state

1500 "AT MY REQUEST"—SUPPLIER CAMPAIGN PLANNING INTERFACE 1525 DATE: TIME: 1527 1502 1504 PERFORMANCE GOALS BRAND: 1506 PRODUCT: **Delivery:** 1508 CAMPAIGN: # Responses: 1510 Name: % Response: 1512 Execution(s): 1514 Format: ☐ HTML ☐ Video ☐ Text Only **Cost Per Response:** 1516 Promotional Offer: 1518 Promotional Updating: View e-Mail 1520 1522 TIME FRAME TARGET DEFINITION 1524 1526 Start Date: Run of Service: End Date: 1528 Demographic Preferences: 1530 ☐ Hard Close ☐ Soft Close Purchase Intentionality Soft Close Criteria: 1532 Targeting Hierarchy: 1534 ☐ Continue to delivery goal 1536 ☐ Add to budget (see below) 1538 BUDGET 1540 **OPTIMIZATION FUNCTIONS** 1542 **ORIGINAL REVISE 1** REVISE 2 # Responses ☐ Cost per Response

156

156

156

156

156

157

157

157

157

157

158

158

158

158

158

159

159:

159

☐ Increment budget by% (per contact pre- approved if Cost per Response is within allowable)	BANNER AD INTEGRATION Cross Support Planning						
ROTATION HTML Video	PRODUCT CLASSIFICATION SUMMARY						
IF yes, rotate executions* □ To same recipient within days	Category: Sub-category:						
☐ If cost per response falls% over goal *Execution codes for rotation	SKU: Price/Range:						
	Promotional Type: Classification Interface 1515						

1544

☐ Opti*Mark (Cross Media)

Results Time:

1523

Figure 9b

Classify

1521

Acct. Mgt.

1519

Revision History

1517

Figure 9c

-	1758	1760	1764	1766	1770 1768	1772	ļ	1790	1792	1794	1798	1701	1703	1706	1709 1707	17.11	1715 1717	1719		
Z	DATE 1/34 TIME 1/30	Start Date:	Cito Date:	SEE ORIGINAL EDIT	PROMOTIONAL OFFER	Promo Type: © Rebate 1774 © Free Premium 1784	Coupon Voucher 1778 C. Referral Incentive 1788	٠.	Promo Start Date:	Promo End Date:	Incremental cost for promo: Per Uses	r promo du	□ #Responses	□ Promo \$	BANNER AD INTEGRATION	ru: creatuine>	Start Date:	When Run: When Request is Made 1721 When Request is Made 1721 Mith First Man Anni 1723	C Stop Marker Request Not Active 1728 C Continue After Request Not Active 1729	Act Mgt Planing Results
JEST"—E-MAIL PRODUCT/INFC				MI	clothing	womens	winter	coats	synthetic fiber	lilled	water-proof	papad	petite	0: designer label	keep posted until	*	**************************************	s		/
700 "AT MY REQUE	RRAND	PRODUCT:	E-MAIL:	VIEW E-MAIL	Category:	Sub-category 1: Sub-category 2:	Sub-category 3:	Sub-category 4:	Sub-category 5:	Sub-category 6:	Sub-category 7:	Sub-category 8:	Sub-category 9:	Sub-category 10:	PRICING	El Baso Prioe:	Special Offer to Preferred Customer	E 1st Reduction	a 2nd Reduction	a 3rd Reduction
1700	1702	1706	1710	1714	1716	17.18 17.20	1722	1724	1726	1728	1730	1732	473	1736	1738 1740 1742	1744	1746	1748	1750	1752

 $\mathbf{r} = \mathbf{d} = \mathbf{r}_{\mathbf{p}}$

"AT MY REQUEST"—SUBSCRIBER HISTORY

(maintained by system as secure, private data)





Figure 10

AT MY REQUEST ALTERNATIVE EMBODIMENT USER ACCOUNT-DRIVEN, SEARCH ENGINE-BASED REQUEST FULFILLMENT SYSTEM



This is an alternative system to the primary system of Figure 1

Figure 11

SUBSCRIBER INFORMATION ACCOUNT HOLDER USE CASE FLOW CHART




Figure 12

SUPPLIER INFORMATION ACCOUNT HOLDER USE CASE FLOW CHART




Figure 13

SYSTEM USE CASE FLOW CHART




Figure 14

FIGURE 15 - TABLE G

- 1. Basic On Request Information Control Utility
- 1A Combination of user-customizable, on-request information control utility with an eMessaging system whether such system is an "open access" system or an authentication-based, private system:
- a) Wherein such eMessaging system is an e-mail system
- 1 Wherein such on-request utility is integrated as POP or IMAP email systems or as Web-based mail, with transmission via telephone dial-up, leased line, cable-based, satellite or wireless means
- b) Wherein such eMessaging system is an Instant Messaging application, such as Jabber
- c) Wherein such eMessaging system is a wireless eMessaging/short text messaging system (WAP or other), pager, wireless PDA, etc.
- d) Wherein such eMessaging system is an addressable television system whether transmission is via analog cable, digital cable, overthe-air broadcast, digital broadcast, digital satellite or other related method of transmission
- Incorporating such user-customizable information control utility as a desktop application or desktop shortcut [aka "alias"] which is "always on" (but minimized until needed) or quickly loaded by way of a simple double click procedure using an Internet Protocol for message delivery
- 1C Embodying such, user-customizable, on-request information utility as a browser plug-in or pull-down, using Java, XML, et al.
- 1D Wherein such utility operates within a "closed loop e-mail marketing channel" (i.e., where knowledge of the user's behavior with respect to all delivered information is "visible" to the system) or is $\frac{\text{Page 1/21 of Figure 15}}{\text{Page 1/21 of Figure 15}}$

incorporated with various non-proprietary e-mail systems and other eMessaging systems (wherein user's specific behaviors are not trackable by the On Request Utility)

- 2. User Customization Of Criteria for Requested Information
- 2A Customizing, on-the-fly, request parameters/criteria using such an on-request information control utility
- 2B Wherein duration of request (i.e., how long to keep each request active) is:
- a) Self-designated by user
- b) Specified by use of fill-in spaces for number of days/weeks/months/years, or by use of check-offs or buttons
- c) Defined by user as "open", that is, having no pre-set time limit
- d) Determined by user setting a specific time/date to activate; and a specific time/date to cut off or end the "active" request
- e) Based on a time period "default" which is established by the system as a derivative of the user(s) prior history (as maintained by said system) based on
- 1) The user's overall average duration
- 2) The user's average duration for the type of request or specific category of information
- 3) The overall system's average duration
- 2C Wherein the *quantity* of information desired may be specified in relative ranges or absolute number of messages delivered
- a) Whereby the quantity is specified by check-off of pre-designated numbers, filling in/typing in of same, by a slide bar or user-highlighting on a graphic field representative of relative quantity
- 2D Wherein the time of day is indicated Page 2/21 of Figure 15

- a) In which to search for such requests
- b) In which to deliver requests
- c) Or, some combination of 2Da and 2Db
- 2E Wherein the *frequency* of desired information delivery is specified as a repetitive pattern (e.g., "every Wednesday")
- 2F Wherein the terminus (i.e., which e-mail or eMessaging device) for delivering such on-request information is specified
- a) With respect to the *priority* for forwarding such requested information by e-mail or other eMessaging system to other devices like pager/PDA vs. desktop (e.g., "high urgency" information)
- 2G Specifying that only requested information of a certain promotional type is to receive priority treatment, for example, if discount, special deal/offer is present
- 2H Specifying that information to be received is based on user's willingness to buy in certain ways and/or from certain parties (e.g., direct from manufacturer)

a)

- 2I Specifying the geography from which or about which information is sought (e.g., local stores, local venues, etc.)
- 2J Specifying that information of requested type be provided despite its lack of fresh currency, if still active, (e.g., whether or not a sale has started, if it is still on, inform user)
- 2K Specifying priority of delivery based on how well the available information scores on "fit" with the specific request parameters
- 2L Specifying that new information, which may become available over time, relevant to the desired request, be forwarded and that such qualified requests be maintained on an "Information Request Account"

 Page 3/21 of Figure 15

(rather than the user's name being simply put on a defined, e-mail list—that is just people to whom to send who want X, Y, Z type of information)

- 3. Extension of On Request Information Utility To Outside Web-based Content Providers
- 3A User-customization of request parameters wherein information updates desired from a given web site/information provider may be requested to be automatically sent to the user by means of the On Request eMessaging system
- 3B Scoring the updated information based on degree to which it fits the user's original request parameters
- 3C Employing such scoring schema (of 3B) to designate a priority level for such information and the delivery based on same, according to user-defined priority rules (e.g., Priority Level I: forward to my wireless PDA, etc.)
- 3D Such request may be made anonymously (with respect to disclosure of user's identity to the information provider) utilizing the on-request system as the anonymizing agent of such request
- 4. Method for Profiling Users of On Request Info System by Requested Categories, Preferences and Behavioral Actions
- 4A Capturing and recording in a User Information Account, information categories and request criteria as well as behaviors of recipients of such information delivered via an On-Request Information Control eMessaging utility
- 4B Capturing and recording:
- a) Duration of request (actual versus originally designated)

- b) Amount of information received (actual versus originally requested)
- c) Treatment of e-mail/eMessage information delivered
- d) # categories active/which categories/which specific products, items or brand/companies
- 4C Said Information Account maintains a record of prior usage history
- 4D Employing user customized preferences re: requests for "active duration" and "information amount" as a surrogate for how close to the "purchase window" the user is
- 4E The system directly polls users for their "in-market" status and readiness to buy for major purchases (for example new car)
- 4F Employing such purchase/usage intentionality index to allow for more refined targeting and premium pricing to advertisers
- 4G "Flagging" such individual users according to current and/or predictive status
- 4H Data mining of user preference data, polling response, and behavioral actions to calculate "purchase/usage intentionality index" for each participating user for any given category of requested information, product, brand, company or organization.
- 5. On Request Information Account
- 5A Maintaining the individual user requests, fulfillment of such requests and behavioral actions of the recipient to such delivered information via an individual user Information Account in an On Request Information Control Utility
- 5B The Information Account makes a record of the information requests made by the user

Page 5/21 of Figure 15

- The method of claim 5A wherein the Information Account maintains a record of the user's specific identifiers according to user-supplied information such as: e-Mail Address (Wired/Wireless); Web site "Lockbox"; Other e-address; Real/Screen Name; Address Phone; Etc.
- The Information Account maintains the parameters or criteria the user has specified for each of his/her currently active requests (e.g., active duration; quantity, frequency; delivery terminus; geographic specificity et al.)
- 5E The Information Account keeps a history file of prior and concluded requests
- 5F The Information Account keeps a record of the behavioral responses of the user/recipient with respect to the prior On Request emessages/ emails delivered
- 5G The Information Account keeps track of "purchases" of information made by the user
- The Information Account keeps track of pre-payment files and debits according to usage/purchases (for example, wherein user has "loaded" his micropayments account and system decrements when he "buys" information that is not free)
- 5I The Information Account maintains process interface with billing and/or credit card systems and/or micro payment systems
- 5J The Information Account provides mechanism for multi-user aggregation (e.g., of members of XYZ Affinity Group using system)
- 5K The Information Account provides for linkage with independent auditing function on census or sampling basis
- The Information Account provides mechanism for extracting data for statistical analysis, trend tracking and reporting of individual Page 6/21 of Figure 15

usage/behavior and aggregated data to system admins and other parties with a need to know

- 6. Functionality to Facilitate Payment for Information Offered Via an On Demand Request-based Utility
- 6A Enabling payment for information requested through an On Request Information Control Utility
- a) Enabling user to pay to receive information (e.g., special report downloaded) with payment handled by: credit card charge;
 Micropayment system; "Bill Me" method)
- b) Enabling outside party (e.g., Marketer; ISP; Portal; Affinity Group; et al.) to cover the cost for the providing and downloading of the user-requested information, wherein payment is
- Made fully by single outside party;
- 2) Subsidized in part by one or more outside parties and the balance by user
- 3) Is covered by the On Request Utility itself
- 6B Establishing accounts for paying parties; decrementing and/or aggregating \$ amounts, reconciling and billing or same
- 6C Decrementing "stored value" in the user's account for requests for information requiring some type of payment in exchange for the information delivery
- 6D Waiving any charges on behalf of users that are "preferred," who are at risk (i.e., they have signs of attrition) or who have accumulated "stored value" either with the system itself or via a partnering promotional organization.
- 6E A "contact token" that is pre-loaded with "micropayment value" is used to cover such payment

Page 7/21 of Figure 15

- 7. Customizable On Request Utility As Browser Pull-Down/ Pop-up
- 7A Combining such an On Request Information Control Utility as a browser-embedded functionality or pop-up
- 7B The utility is embodied as a tiny electronic messaging panel or window, which
- a) Communicates to the On Request web system or web site to "order" information/ or post "demand"
- b) Notifying the user when "information demand" is met with "supply," utilizing an instant messaging protocol (like Jabber) or other Internet Protocol to inter-communicate
- 7D The delivery terminus for such requested information may be specified/pre-set for any or all such requests
- a) By pressing "now" to open up to the On Request web site and going to the user's personal lock box
- b) By having requested information sent as e-mail/eMessage to the user's e-mail/eMessaging account (Wired; Wireless)
- 8. Information Exchange Utility
- 8A Matching user-customized demand for information with supply of information via an Information Commerce Exchange wherein "demand" for information/offers by users and "supply" of information/promotional deals from marketers are matched, comprising a plurality of steps
- a) Posting of "demand" by users for specific information requested
- b) Entering of specific request criteria or parameters, such as:
- Quantity desired
- 2) Duration: How long to keep "active" (duration)
- Geography
- 4) Shopping preferences, etc.

Page 8/21 of Figure 15

- 5) Deal/price parameters
- 6) Et al.
- c) Posting of active "supply" by information providers/marketers and tagging such information by key characteristics such as product/service category; Price; Incentive/deals; Timing/terms, etc.
- d) Matching of information "demand" with "supply"
- e) Extracting a financial charge from the supply side/marketer (or, as appropriate, the demand side/user) for the completed exchange transaction
- f) Billing the payer for the transaction
- Demand Aggregation and "Access-to-Market" Reverse Auction (among e-Marketers Seeking Preferred Access)
- 9A Aggregating "information demand" from an On Request Information Control Utility, comprising a plurality of steps:
- a) Compiling actual requests
- b) Calculating predictive demand based on historical data
- c) Direct polling/questioning of user's "in the market"/readinessto-buy status
- Operating a real-time "reverse auction" to Marketers of current (or predictive) "demand", derived from users of On Request Information Control Utility, comprising a plurality of steps of:
- a) Marketers "bidding" to take top/featured offer position to reach "Best Prospects" (e.g., people in the market to buy a Suburban Sports Vehicle), wherein "best" is highest economic deal for the user of the system and/or the system itself
- b) Setting terms/time period for "access" and receipt of payment
- 10. In-box On Request Identifier

Page 9/21 of Figure 15

- 10A Designating delivery "inbox" of e-mails or eMessages from an On-request Information Control Utility—to give the user a reminder that what is being delivered is a fulfilled request.
- 11. Allocation Method For Disseminating eMessage Inventory For Delivery to On Request User
- 11A Allocating the dissemination of informational "inventory" from multiple information providers/marketers in the same or different categories, [stored on database(s)] to the user of an On Request Information Control Utility, comprising a plurality of steps
- a) Coordinating, by a set of allocation rules, the request by users ("demand") and the available information ("supply"): whereby such allocation is:
- 1) According to individual user (e.g., don't repeat same e-mail; send e-mail #1 from Advertiser A on first day, e-mail #2 from Advertiser B on second day)
- 2) According to segments of users
- 3) According to advertiser-supplied aggregating criteria
- 4) According to customer list of Affinity/3rd party organization/ marketing entity (e.g., with capability for overall suppression of certain inappropriate categories/brands)
- 12. Audit of Performance For On Request Utility
- 12A Tracking and certifying what has been delivered to which requesting user(s) and what behavioral actions were taken by the user(s) for the specific information received via the On Request Information Control Utility, comprising a plurality of steps
- a) Confirming with regard to such requested e-mails/eMessages
- 1) Of receipt/delivery in inbox

Page 10/21 of Figure 15

- 2) Of opening by user(s)
- 12B Such tracking and recording is done within a "closed loop" onrequest utility (i.e., where eMessaging interface is
 controlled/integrated with the On Request Utility) and covers such
 data as:
- a) Delete without opening; Delete after opening; Time stamp action(s); Respond; Forward/Copy; Store; Print
- 12C Such tracking and recording is done when the On Request Utility does not control the user interface (e.g., by an embedded code script in the delivered eMessage which automatically sends a communication back to the On Request server if the e-mail/eMessage is opened/when it is opened, e.g., via Jabber)
- 12D Such tracking and recording is done by way of:
- a) An embedded code that sends "message" back to On Request server if e-mail/eMessage is opened with respect to:
- Delete without opening; Delete after opening; Time stamp
 action(s); Respond; Forward/Copy; Store; Print
- 12E Such tracking involves the determination of how much time the user has spent with the requested e-mail by use of a time stamp at open and closing
- 13. On Request eMessage Delivery To Alternate User Device(s)
- 13A Specifying delivery to alternative terminus "devices" for users of an On Request Information Control Utility wherein such device terminus may involve transmission:

Via e-mail to prime e-mail account whether protected by an Authentication system or not

Via wireless device (PDA; Cell phone; Blackberry unit, etc.)
Page 11/21 of Figure 15

Via pager

Via TV/Digital TV Addressable Advertising System

Via WebTV

To On Request web site "personal box" ("Web Storage Box")

Via voicemail/phone (automated/non-automated) whether over land line or cellular

Via Facsimile

- 13B Specifying a "cascading" instruction for where to deliver based on user hierarchical preferences and priorities by way of:
- a) User input on customization screen
- b) Default to most frequently requested alternate terminus/termini
- 13C Determining whether a delivered information eMessage was opened and, if not opened in "X" minutes, the release of a communications back to the sender is triggered
- 13D Switching on/switching off such delivery instructions
- a) For all requests
- c) For specific request
- b) For time period
- 14. Feedback From User Re: Quality of Requested Information
- 14A Facilitating users of an On Request Information Control Utility to give immediate feedback on the quality of the information provided, by a plurality of means:
- a) On-screen pop-up "fill-in" form
- b) Form at bottom of e-mail/eMessaging "frame"
- 14B Incentive to fill in such feedback to be paid by! the information provider/advertiser or by the system itself

Page 12/21 of Figure 15

- 14C Collection of such feedback per user is aggregated to user segment and/or aggregated to information category
- 14D Such user-supplied feedback is integrated with on request/behavioral action data captured by the system for profiling of users for future request fulfillment accuracy
- 15. Banner Ad Cross-Linkage Within e-Mail or eMessaging System Featuring On Request Utility
- 15A Controlling banner ad insertion in support of utilization by users of the On Request Information Control Utility of specific "categories" of request or overall Utility usage
- a) By utilizing collaborative filtering method to predictively select categories/users
- b) By selection of banner ads to reinforce specific Request(s) already delivered—that is, to run banner ads after the user receives the information requested by e-mail/eMessages
- 16. Control Over Advanced eMessaging Formats Within On Request Utility
- 16A Controlling and limiting the delivery of On Request e-mail/eMessaging formats according to advertiser contract; e.g., for "X" period of exclusivity, "Y" category covering:
- a) HTML
- b) Video
- c) Audio
- d) Enhanced navigable video (v.3.0?)
- 17. Sequential/Seriotic e-Mail/eMessaging

17A Customizing sequential e-mails/eMessages according to user-supplied self-profiling information at the start of the series, comprising a plurality of steps:

- a) Providing personal information input in response to first e-mail/eMessage
- 1) That is, initiating the eMessaging series with a survey first/driving "first communication contact" to solicit user profiling data
- b) Customizing subsequent communication content in the series of e-mails/eMessages, based on the user-supplied profiling information of the first contact and, thereby, "chunking" out the sales message over time, customized to the user's profile
- 18. Special Ad Charges For Enhanced Targeting/Message Formats Within On Request Utility
- 18A Establishing, certifying and billing advertisers for enhanced types of e-mail/eMessaging targeting, format or multiple linked/seriotic e-mails, delivered via an On Request Information Control Utility
- 18B Such targeting and associated billing is based on:
- a) Intentionality Level (pay more to reach prospects "closer to a purchase")
- b) Charge for key demos/buyer-prospect behaviors
- c) Charge for "forwards" (1X)
- d) Charge for seriotic e-mail/eMessaging (iteratively customized series of e-mails/eMessages triggered by initial response to a profiling survey)

- e) Charge for rich media e-mail/eMessaging formats-HTML/Video;
 audio
- 19. Advertiser/ Marketer Information Account For On-Request Utility
- 19A Operating a Marketer Information Account by which a marketer/advertiser may establish his objectives and budgets and post e-mails/eMessages to be used for a given On Request effort and receive updates/postings on performance to date and on predictive performance 19B The advertiser may set budget and other targets: e.g.,
- 19C Enabling the system to be predictive and proactive with respect to approaching of budget cut off and to send e-mail (or, other contact communications) to Advertiser/Agency

Frequency; Reach; Goals; Start/end date

- 19D Enabling the advertiser to establish/populate/update a "pool" of e-mails for rotation of presentation
- 19E Enabling the advertiser to post-updates to web site, central database facility or series of distributed databases
- 19F Enabling the system to maintain "Quality Assurance" over the advertiser's information posting procedure by System Administrator
- 19G Prioritizing e-mail/eMessages of advertiser content by Delivery Mode (e.g., to mobile users)
- 19H Enabling the means for advertiser/agency to revise/summarize the plan online
- 20. Anonymous Response By User To Information Provided On Behalf of Content Providers/ Advertisers Via On Request Information Control Utility
- 20A Enabling users to respond to information forwarded by On Request Information Control Utility anonymously via a Response Center

 Page 15/21 of Figure 15

- 20B The system subsequently secures further information from advertiser and forwards to the e-mail/eMessaging to the given user/respondent
- 20C The user is enabled to utilize a request form provided by On Request Utility for making such request
- 20D Aggregating of user response and forwarding to

 Marketers/Information Provider who have not yet signed up with the

 service as an official (paying) advertiser
- The user may respond to the advertiser's e-mail using a One Time Reply token or key, via application of patented (AuthentiMail) ["1X Reply e-mail/eMessaging option] or an as yet unpatented method of achieving same
- 21. Mobile/PDA Application of On Request Information System
- 21A Facilitating "Just-In-Time" e-mail/eMessaging of an "On Request Information Control Utility" for mobile communications device(s)
- 21B Establishing on request "categories" desired for information to be delivered to user's mobile device(s)
- 21C Customized user preferences are established for such requests, covering:
- a) When in X,Y,Z geography
- b) When "planning" to be in X,Y,Z
- c) Priority: [e.g., only send e-mail/eMessaging related to "deals;" or that meet 100% of my request criteria; or are from XYZ sender(s)]
- d) Geography defined by City, Town and location as determined by GPS cellular translation
- e) "Reverse Opt-in": [if sale started yesterday, tell me— what specials/events are currently happening (e.g., theatre venues,

 Page 16/21 of Figure 15

restaurant, specialty goods, sales events; community events, local retailers)]

- f) Delivery/Terminus Device: [e.g., Blackberry units/PDAPalm/Cellular, pager or forwards to user's laptop (i.e., wired
 account)]
- q) Time of day
- h) Date/period of days [Specifically defined; repetitive—"every
 Wednesday"]
- 22. Local Market- Just-In-Time On Request Information eMessaging Utility
- 22A Integrating an On Request Information Control Utility into the cellular/wireless network(s) to function in remote cities (i.e., when user is traveling), comprising a plurality of steps:
- a) Pre-setting of the system by the user to trigger requested categories when portable device is in given city, (e.g., "when in LA, get me deals on Dodgers games...")
- b) Inputting by user of requested information categories, preferences/criteria and priorities via On Request Utility at web site, e-mail interface, browser embodiment (see above), on the wireless device itself or by voice interaction
- 22B Specific parameters are inputted by the user with respect to requested information:
- a) When to deliver: e.g., early AM; PM; Late PM; Ongoing
- b) Date/period of days of active duration
- c) Delivery to terminus device(s) of preference: e.g., Wireless;
 PDA; Laptop;
- d) Geographic specificity of information
 Page 17/21 of Figure 15

- 22C Local market-based information providers, stores, event venues, restaurants, organizations, et al. post relevant information to systems database
- 24. Customized Electronic Incentive Voucher
- 24A Providing an electronic refund or coupon value voucher to users of On Request Information Control Utility
- 24B Value is determined by the "purchase intentionality" score of the user
- 24C "Feedback"/validation of use of said electronic coupon/voucher is captured by the On Request system, determining that purchase has been made and linking same to promotional funds access/billing system
- 25. Proactive Solicitation by On Request System of User's Interest
 25A Directly polling users of an On Request Information Control
 Utility via e-mail/eMessaging, to facilitate user-supplied selfprofiling information related to:
- a) Requesting updates/offers from marketers, organizations, local stores, etc. (in preferred status)
- b) Enabling companies/organizations to have their users selfidentify (e.g., "These companies are looking to contact you:" if interested, the Request Utility can send e-mail/eMessaging)
- 26. On Request Internal System Capabilities
- 26A System provides for operational control of
- a) Information requests
- b) Information dissemination
- c) Tracking of all related behavioral actions
- d) Auditing of delivery
- e) Billing

Page 18/21 of Figure 15

f) Payments

or via a B2B web site

within an On Request Information Control Utility

- 26B The On Request system generates tracking codes for each advertiser, each e-mail/eMessaging and each billing event, et al.
- 26C Each user is given his own On Request e-mail/eMessaging

 Information Account for receipt/delivery and behavior tracking

 26D Advertisers can post their latest e-mail/eMessaging offers onto
 the On Request Utility's central DB or distributed databases directly
- 26E Advertisers can access current performance data on their promotional e-mail delivery and budget status
- 27. "Targeting Pool" Re-Aggregation With On Request Utility27A Re-aggregating users in the database of an On Request
- Information Control Utility into "better quality" targeting segment(s), thereby creating the hierarchical prospectivity pool, so as to optimize "on the fly" advertiser reach/targeting performance
- e-Mail/eMessage dissemination is delivered first to the higher intentionality/value segments of users in the hierarchy and then to the lower; or in any combination thereof
- 28. Networking Multiple Applications And Embodiments of On Request Information Control Utility
- 28A Networking together multiple On Request Information Control
 Utility applications and their respective user bases to enable: System
 Integration; Scale economies; Aggregation of information demand;
 Aggregation of audience for advertiser "reach" requirements
- 29. On Request Message Customization

29A Customizing elements of the e-mail/eMessage to different users, (delivered as a result of individual utilization of On Request Information Control Utility) according to: content; offer; price; et al. and discrete "knowledge" of user's profile (behavioral; self-reported; inferred; et al.)

- 30. Expandable Input Form for On Request Utility
- 30A Expanding the size of an input form for an On Request Information Control Utility
- 30B Wherein the input form appears as part of the GUI
- 30C Wherein the form is embodied as a pull-down from the browser
- 30D Wherein the form is embodied as a pop-up or window
- 30E Wherein the form is embodied as a third party web site/portal functionality
- 30F Wherein the input form is embodied as its own self-standing web site or portal
- 30G Wherein the input form has an irreducible size in which its basic functions are incorporated and it expands in size as the user designates more "active requests,"
- 30H Wherein the expansion of the input form continues until a system-designated limit (e.g., 4-6 lines) of "active requests" is reached and then any additional active requests are made available by scrolling up or down
- 31. Application of SAIC's MISTI to On Request eMessaging Information System
- 31A Combining MISTI (patented system for supply chain integration) as fuzzy logic input and search system for an On Request Information Control Utility

Page 20/21 of Figure 15

- 31B First polling On Request Utility "Central Posting Database" or distributed databases for relevant offers/information
- 31C Searching the Web for "same"
- 31D Polling/comparing data sets
- 31E Selecting for each user a "set" of information relevant to the specific request/requestor
- 31F Extracting web site info and "repackages" as e-mail/eMessage, within On Request Utility's "format"
- 32G Enabling the user to respond via e-mail/eMessage by way of the On Request Utility
- 32H The Request Utility "forwards" to marketer the "responses"

FIGURE 16 - Table H

								Basic AMR Concept	Category
 Such a utility is dynamically, user self-customizing, on-request utility primarily for commercial/non-personal e-mail (BASIC) 	 Integrated as a desktop application which is "always on" (but minimized until needed) or quickly loaded by way of a simple double click procedure 	Integrated with an addressable television system whether via cable, digital cable, over the air broadcast, digital broadcast, digital satellite or other related method of transmission	 Integrated with wireless eMessaging/short text messaging system (WAP or other), pager, PDa, etc. 	 Integrated with Instant Messaging utility 	 Such on-request utility: 	 The combination of such on-request utility with base e-mail utility or other eMessaging system 	 Dynamically, user controlled and customizable, on-demand request system for information by electronic messaging 	• Patent:	Specific Feature/Aspect
									Linkage
U						5	₅	ъ	 P
~		·				~	~	~	<u><</u>
									ا\$
									చ

								Basic AMR Concept	Category
 Such a utility is dynamically, user self-customizing, on-request utility primarily for commercial/non-personal e-mail (BASIC) 	 Integrated as a desktop application which is "always on" (but minimized until needed) or quickly loaded by way of a simple double click procedure 	Integrated with an addressable television system whether via cable, digital cable, over the air broadcast, digital satellite or other related method of transmission	 Integrated with wireless eMessaging/short text messaging system (WAP or other), pager, PDa, etc. 	Integrated with Instant Messaging utility	 Such on-request utility: 	 The combination of such on-request utility with base e-mail utility or other eMessaging system 	 Dynamically, user controlled and customizable, on-demand request system for information by electronic messaging 	• Patent:	Specific Feature/Aspect
									Linkage
5						5	ъ	Ŋ	 ₽
~						~	~	~	<u> </u>
									½
		:							చ

				Information		User Customization Of Criteria for Requested				Category
 User(s) prior history maintained 	 Time/date to activate (specific "on/off" repetitive calendar (e.g., every Tuesday)) 	 Fill-in spaces for days/weeks/months, check-offs or buttons 	· Self-designated by user	 Duration: how long to keep each request active 	 On-request self-customization message request/delivery interface 	 Method for dynamic customization of on-demand, request parameters/criteria by such a utility 	 Or, embodied as a web site; or as a pop-up; or pull down embedded in browser (see below) 	 Method to configure such on-request utility for use by dial-up/cable-based/satellite-delivered Internet Service Provider and as Web-mail for POP or IMAP 	 Such a utility may operate as an enhanced on-request utility within a "closed loop e-mail marketing channel" like ZoEmail or made available to the broader user base of e-mail and other eMessaging systems 	Specific Feature/Aspect
										Linkage
υ	5	5	5	5	5 ≺	ហ	5	Ŋ	∵	=
							~	~	⋠	≤
~	~	~	~	~	~	≺				2
										&

														Category
 Willing to buy direct from manufacturer* 	 Send only "hot' stuff 	"Deal" priority/discount*	 Builds on Unified Messaging scheme; with custom interface 	 Delivery terminus and priority for "cascade" effect to other devices like pager/PDA vs. desktop 	· Check-offs or slide-bar	 Quantity desired: "a little" to "a lot" 	 Repetitive (e.g., "every Wednesday") 	• Specific	 Date/period of days 	 Time of day 	 Total system average 	- Average for category	- Average	Specific Feature/Aspect
				·										Linkage
ر. ت	ъ	5	51	ر. ت	υī	5			5 5	5				 =
														<u> </u>
~	~	~	~		. ~	~			~	~				٤.
				≺										ఓ

Geography*

5

Calegory	Specific Feature/Aspect Stores/buying local property, etc. "Reverse J-I-T": even if a sale has started, if it is still on, inform user Priority delivery based on scoring of "fit" with user-request	Linkage	4 4 5 P	<u> </u>
,	1		4-	i
"Just-In-Time" On-Request eMessaging	 Method for employing user customization of requests for "active duration" and "information amount" as a surrogate for how close to the "purchase window" the user is 		U	
Functionality	 Method by which system can poll users for their "in-market" status and willingness to buy for major purchases (for example new car) 		5	
	 Method for data mining of user customization data (as well as polling response) to calculate "purchase intentionality index" for each participating user of any given category of information or product. 		ر. د	
O COLUMN TO THE TAX TO	 Use of indexing method to allow for more refined targeting and premium pricing to advertisers 		5	
On Request Information	 Method whereby users of an On Request Information Utility maintained on an individual user Information Account that: 			
Account	 Keeps track of the information requests made by the user 			

- Keeps a history file of prior requests
- Keeps a record of the behavioral responses of the user/recipient in respect of the On Request emessages/ emails delivered
- Keeps track of "purchases" of information made by the user
- Keeps track of pre-payment files and debits according to usage/purchases
- Example: User has "loaded" his micropayments account and system decrements when he "buys" information that is not free
- Maintains process interface with billing and/or credit card systems and/or micro payment systems
- Provides for linkage with independent auditing function on census or sampling basis
- Provides mechanism for multi-user aggregation (e.g., of members of XYZ Affinity Group using system)
- Provides mechanism for statistical analysis, trend tracking and reporting of individual usage/behavior and aggregated data

Category	Sp	Specific Feature/Aspect	Linkage	₽	\\ \	స	ప
Functionality to Facilitate Payment for	•	Means to enable payment for information requested through an On Demand Utility that sends such desired information via eMessaging system.		5		~	
Information Offered Via an	•	Given that access to some such information will not be "free," the method would enable the following:					
On Demand Request-based		 a) User pays to receive information (e.g., special report downloaded) with payment handled by: 					
System		· Credit card charge					

Fully paid by single marketer

Subsidized in part by marketer and by user

b) Marketer pays for the providing and downloading of the user-requested information

ဌာ

Micropayment system

"Bill Me" method

- Paid in part by marketer and balance by one or more other outside parties
- c) A channel partner (e.g., ISP, Portal, Affinity Group) may cover all or part of any such charge
- d) On Request system itself covers the cost of the information and its being provided to the user

- In all instances, the system can waive any charges at the discretion of the information provider or sponsor
- The system can waive any charges on behalf of users that are "preferred," at risk (i.e., they have signs of attrition) or who have accumulated "stored value" either with the system itself or via a partnering promotional organization.
- When the system operates on the basis of a user having been granted "stored value," he may decrement this "shared value" as he makes requests for information requiring some type of payment in exchange
- E.g., a 25 page report on arthritis is available for "50 micropoints"—which are decremented from his micropayment account, which had been "loaded" by the Pharmaceutical company who makes XYZ medicine for arthritis
- Alternative Method: use of "contact tokens" which are pre-loaded with "micropayment value" (see separate entry)

Method for Profiling Users of On Request Info System by Behavioral

Actions

 Mechanism for tracking of behaviors with respect to the "At My Request" e-mail system (related to "Information Account")

> 5 ~

Category	Specific Feature/Aspect	Linkage	 =	<u> </u>	2	్డ
	 Duration of request 					
	 Amount of information demanded 					
	 Treatment of e-mail/information delivered 					
	 # categories active/which categories 					
	 Prior usage history 					
:	 Segmentation based on "score" which translates into an Intentionality (to purchase) 	:	ហ		~	
	Segments can be priced differently to marketers		4		~	
Customizable On Request Utility As Browser Pull- Down/ Pop-up	 Method to configure an On Request Utility as a browser-embedded functionality—like the Dash.com fill-in—or pop-up 		5		~	
	 Enabling a tiny electronic messaging "window" 		5		~	
	 It communicates to the On Request web site/system to "order" information/ or post "demand" 		5		~	
	User is notified when "information demand" is met with "sunnly"		Մ		~	

On Request box—#/flashing button

			Information Exchange									Category
 Quantity desired 	User posts/announces "demand" for X,Y,Z information	 Where "demand" for information/offers and "supply" of marketer/info and deals connect 	 Method for providing a Marketing Information Exchange Utility (Direct Information Marketplace or Commerce Exchange) 	 Priority of Delivery Method can be pre-set by user 	 By other delivery mode 	- Wireless	- Wired	 By having it sent as e-mail to his e-mail account: 	 By pressing "now" to open up On Request web site and going to his personal lock box 	 User can pre-determine where he wants his information to be delivered 	 Using Jabber or other technology to inter-communicate 	Specific Feature/Aspect
												Linkage
	υı	رن ن	ر. د	5	5			5	и	်ပ	5	 P
	~	5 ∀	5 Y									≤
				~	~			~	~	~	~	\frac{\sqrt{2}}{\sqrt{3}}

Other criteria

How long to keep "active" (duration)

	Demand Aggregation and "Access-to- Market" Reverse Auction (among e-Marketers Seeking Access)											Category
 Actual responses 	 Means for On Request Utility system to aggregate "information request demand" 	· Extracts \$ charge from supply side	System matches "demand" with "supply"	· Timing/terms	· Incentive/deals	Price	 Product/service information 	 Marketer has posted active "supply" 	· Deal/price parameters	 Shopping preferences, etc. 	- Geography	Specific Feature/Aspect
				,								Linkage
տ	б	5	رن ن					IJ				 =
		~	~					~		-		≤
	~											న

Predictive/proactive

Category	Specific Feature/Aspect	Linkage	=	<u> </u>	&	చ
	Based on inference: intentionality/intensity/duration of request(s) mode		ъ		~	
	 By direct polling/questioning of user's "in the market" status 		5		~	
	 Real-time "reverse auction" to Marketers of current (or predictive) "demand": 		ر. ت		~	
	 Marketers "bid" to take top/featured offer position to reach "Best Prospects" (e.g., people in the market to buy a Suburban Sports Vehicle) 					
	 For which marketer gives "best deal" to our users and to the System 					
	 l.e., for enhanced presentation by the marketer 					
	Or, "On Request Featured Offers"					
	Method for system to set terms/lime period for "access"		4			~
Extension of On Request Information Utility To	 Extension of On Request Utility for enabling users to request that a given web site/information provider/marketer automatically send updates to the user via eMessaging system, alerting the user to new information in the area/category of interest 					
Outside Web- based Content Providers	 Means of scoring the updated information based on degree to which it fits the full criteria of the user's request. (deploying SAIC's patented MISTI technology to facilitate for such comparisons) 					

					Delivery	Allocation Method For On Request eMessaging	In-box AMR Identifier		Category
By customer list of Affinity/3 rd party organization/ marketing entity - Current/Former customer or member	 By advertiser-supplied aggregating criteria 	 By segments of users 	 E.g., don't repeat same e-mail; send e-mail #1 from Advertiser A on first day, e-mail #2 from Advertiser B on second day 	 By individual user 	 User request ("demand") and marketer information ("supply"): coordinated by set of "rules" 	 Method for allocating and balancing use of/delivery of informational "inventory" from multiple advertisers in same category, stored on central database to the requesting user by e-mail/electronic messaging 	 Use of icon in inbox to designate delivery of e-mails or eMessages from the on-request utility—gives user a reminder that it is a fulfilled request. 	 Use of such scoring schema to designate a priority level for such information and the transmission of same, according to user-defined priority rules (e.g., Priority Level I: forward to my wireless PDA) 	Specific Feature/Aspect
									Linkage
4	4	4			ű	5	σ		₹
~	~	~			~	~	~		<u> </u>
									½
									ప

Category	Specific Feature/Aspect	Linkage	 ₹	IP v1 v2 v3	స
	 Capability to tie together combinations of the above 		4	~	
Audit of Performance For On	 Method to track what has been delivered to whom and what actions transpired vis-à-vis the e-mail/eMessage by the specific recipient using On Request Utility 		ر. ت	~	
Request	• Re: such requested e-mails/eMessages, confirmation				
Utility	 Of receipt/delivery in inbox 		51	~	
	 Of opening by user 		ن	~	
	 Within ZoEmail "closed loop" system (i.e., where interface is controlled) 		5	~	
	 Within situation where the On Request Utility System does not control interface (e.g., via an embedded code/eMessage that sends "message" back to On Request server if e-mail/eMessage is opened) 		4		
	 Of "spending" time with the e-mail 		4		

· Time stamp open and closing

									Tracking of User Behavior Re: Requested Information Delivered to User	Category
									•	Spec
 Within situation where On Request Utility does not control is not integrated with interface (e.g., via an embedded code that sends "message" back to On Request server if e- mail/eMessage is opened) 	· Print	· Store	· Forward/Copy	· Respond	Time stamp action(s)	· Delete after opening	· Delete without opening	 Within "closed loop" on-request system (i.e., where interface is controlled/integrated with the On Request Utility) 	Tracking of user response to such On Request Utility e- mail/eMessage	Specific Feature/Aspect
							Method for "storing"		Current vs. Historical pattern	Linkage
4	4	5	5	5	5	5	5	5	ъ	₽
	~	~	~	~	~	~		~	~	<u> </u>
							~		,	v1 v2 v3
~										చ

Specific Feature/Aspect Delete without opening Delete without opening Delete after opening Time slamp action(s) Respond Forward/Copy Store Print Ability to apply this tracking to other (non-opt-in) e-mail/eMessaging Ability to apply user may determine delivery to alternative "devices" (á là "unified messaging") for On Request Utility: Via e-mail to prime e-mail account whether protected by an Authentication system or not Via pager Via pager Via pager Via TV/Digital TV Linkage Method for 8 v v storing" 5 v v storing" 5 v v v storing" 6 v v v storing" 6 v v v v v v storing" 6 v v v v v v v v v v v v v v v v v v	Device(s)	Delivery To Alternate User	On Request eMessage										Category
Linkage IP v1 v2 Method for "storing" 5 Y 5 Y 5 Y 4 Y 5 Y 5 Y 5 Y 5 Y 5 Y 5 Y 5 Y 5 Y 5 Y		 Via e-mail to prime e-mail account whether protected by an Authentication system or not 		i		· Print	· Store	· Forward/Copy	· Respond	 Time slamp action(s) 	 Delete after opening 	· Delete without opening	Specific Feature/Aspect
\(\dagger \)									•			Method for "storing"	Linkage
√ ≲	יט יט יט	U	ъ		4	4	Մ	ر.	Ŋ	5	Ċī	Sī	 ₽
·					~	~	~	~	~	~	~		<
ي ا م 1												~	\v2 \v3

. .

															Category
 Or, to PDA for "hot" information 	 Priority #1: Authentication-protected account 	 User input on customization screen 	 Mechanism to have a "cascading" instruction for where to deliver 	For "X" request	 For time period 	- For all requests	 Mechanism to "turn on/turn off" any delivery mix 	 Via Facsimile 	· Cellular	Land line	 Via voicemail/phone (automated/non-automated) 	To On Request web site "personal box" ("Web Storage Box")	- Via WebTV	· Addressable Advertising System	Specific Feature/Aspect
															Linkage
	ر ت	4	ъ	5	5	υı	5	5			5	5	5	5	₹
															v1 v2
		~	~				~	~			~	~	~	~	చ

Ability to determine if information was checked

	•		•			Quality	Information.	Feedback From • User Re: Requested			Category S
Proactive surveying of users—i.e., "In last 'X' months did you purchase a car/what make?"	Intelligent profiling for future request fulfillment — Integrate with intelligent database mining	Aggregated to segmentAggregated to category	Collection of such feedback per user	Advertiser pays/system pays	 Incentive to fill in/no incentive 	Form at bottom of e-mail/eMessaging "frame"	 On-screen pop-up "fill-in" form 	Means by which the recipient of requested communication from the On Request Utility can provide immediate feedback on the quality of the information provided	 Default to send via pager, etc. 	If not opened within 30 minutessend again, but to alternate device	Specific Feature/Aspect
											Linkage
5	رن ت		5		رن ن	5	ъ	И	4		P
~	~		~		-∹	~					<u> </u>
							~	~			2
									~		మ

Category	Specific Feature/Aspect Li	Linkage IP	<u> </u>	ئ ر	చ
Banner Ad Cross-Linkage Within	 Method for banner ad "pre-support" of On Request Utility 	U I	· ~ :		
	 That is, system "promotes" via banner ad the use of the On Request Utility functions or specific "categories" of request 	S	~		
eMessaging	· Incentivizes it				
System That Includes On	 Highlights special offerscollaborative filtering to select? 				
Request	 Supports use in general of the On Request Utility 	S	~		
Utility	 Method to "post-support" specific Request(s) and their fulfillment by X, Y, Z marketer—that is, to run banner ads after the user receives the information requested by e-mail/eMessages 	ر. د	~		
Control Over Advanced eMessaging	 Mechanism to "limit" On Request e-mail/eMessaging formats according to advertiser contract; e.g., for "X" period of exclusivity, "Y" category 	ъ	≺		
Formats Within	- HTML				
On Request	- Video				
Utility	- Audio				
	Enhanced navigable video (v.3.0?)				
	Curriculum e-mail	5		•	.≺

Category	Specific Feature/Aspect Linkage	₹	<u> </u>	v2 v3	చ
	 Method for providing personal information input for first e- mail 				
	 Survey 1st/driving "first contact" 				
	 Sequential/seriotic e-mail/eMessaging (pre-designated series of HTML e-mails to tell "sales story" 	ر ن		~	
Special Rate Charges to Advertiser	 Means by which to establish, verify and bill advertisers for enhanced types of e-mail/eMessaging targeting, format or in-series presentations 	ഗ		~	
For Enhanced	 Intentionality Level 	5		~	
Targeting/	Pay more to reach prospects "closer to a purchase"				
Message	 Charge for key demos/buyer-prospect behaviors 	5		~	
Formats For	Means to charge for "forwards" (1X)	51	~		
Use Of On Request Utility	 Curriculum e-mail/eMessaging (iteratively customized series of e-mails/eMessages triggered by initial response to a profiling survey) 	ъ			≺
	· Seriotic e-mail/eMessaging				
	 Rich media e-mail/eMessaging formats—HTML/Video; audio 	5		~	

Category	Specific Feature/Aspect	Linkage	₹	≤	స	ည်
Advertiser/ Marketer Interaction with On-Request Utility	 Means for advertiser to set budget and other targets: 		ъ	~		
	– Frequency					
	- Reach					
	- Goals					
	 Start/end date 					
	 Demo targets (priority) 					
	 Means for advertiser—in real time—to check-in and determine progress in achieving his promotion objectives/budget 		Çī.		~	
	 Means for system to continue to "service" the marketer's e-mail (pool) until the budget or objective "cut off" 		5	~		
	 Means for system to be predictive and proactive with respect to approaching of budget cut off and to send e-mail (other contact communications) to Advertiser/Agency 		5		~	
	 Means for advertiser to establish/populate/update a "pool" of e-mails for rotation 		5	~		
	 Means to post-updates to central facility 		5	~		

		User To Information Provided On Behalf of Content Providers/ Advertisers Via On Request System	Anonymous					Category
 Means to enable users to use a request form provided by On Request Utility 	 System then secures further information from advertiser and forwards to the e-mail/eMessaging user/respondent 	to information forwarded by On Request Utility	Means to enable users to respond anonymously via Response Center	- Recap	E.g., to mobile users Means for advertisar/agency to revise the plan online	 Means to prioritize e-mail eMessages of advertiser content by Delivery Mode 	 Subject to "Quality Assurance" procedure by System Administrator 	Specific Feature/Aspect
								Linkage
5			5	ر	υ	υı		 = .
~			~					<u> </u>
				-	< .			%
						~		చ

and the control of th

						Information System	Mobile/PDA Application of On Request				Category
 "Reverse Opt-in": if sale started yesterday, tell me— what specials/events are currently happening 	 Geography defined by City, Town and GPS cellular translation 	 Priority: only send e-mail/eMessaging related to "deals;" or that meet 100% of my request criteria 	When "planning" to be in X,Y,Z	Local market application (tie-in with newspaper, local radio, yellow pages)	 When in X,Y,Z geography 	 Mechanism for users to establish pre-set on request "categories" desired for information to be delivered to their mobile device(s) 	 Method to facilitate "Just-In-Time On Request" e-mail/eMessaging for mobile communications device(s)—given that wireless units will be able to identify where users are located geographically 	 Application of patented "1X Reply e-mail/eMessaging option to On Request Utility 	 Method for aggregating responses to provide to marketer who has yet to contract with On Request Utility or has low value contract at present 	 Like a frame at bottom of e-mail or pop-up 	Specific Feature/Aspect
hat	anslation)," Or		r, local		:(S)	ging for Notify will be	to On	o has yet at		Linkage
ъ	ហ	ъ	S ₁		បា	, QI	ъ	رن د	5		 P -
≺	~	~	-≺		~	~	~	_ ~	≺		/1 v2 v3

						Category
· Repetitive ("every Wednesday")	 Specifically defined 	 Date/period of days 	- Time of day	 Blackberry units/PDA-Palm/Cellular, pager or forwards to user's laptop (i.e., wired account) 	 E.g., theatre venues, restaurant, specialty goods, sales events; community events, local retailers 	Specific Feature/Aspect
						Linkage
ъ	5	5	5	Ŋ		IP
						≤
~	~	~	~	~		12
						చ

ప


Method for On Request Utility to function in remote cities (i.e., when user is traveling)

 Mechanism to pre-set system to trigger requested categories when portable device is in other city, e.g., "when in LA, get me deals on Dodgers games..."

eMessaging

Just-In-Time On Request Information

- Method by which user may input requested information categories, preferences, criteria and priorities via On Request Utility at web site, e-mail interface, browser embodiment
- System is tied into the cellular network



- Local Newspaper tie-in
- When:

Early am

· Late PM

Ongoing

Date/period of days

User Opt-in

When user is in his home market

Outside Market

Just-In-Time Opt-in Delivery to Device(s) of preference

Wireless

~ PDA

Laptop

Alert user to relevant info "opted in"

Theatre

Nearby restaurants

Sports Events

Retail categories user is interested in

Category	Specific Feature/Aspect	Linkage	₹	<u> </u> ≤	v2 v3
	 Web site hot offers 				
	· i.e., not geographically specific				
	· Geo-specific				
How	 Controls 				
	- A lot/a little—proactive—continuous				
	 Upcoming events 				
	 Reverse J-I-T: even if event started, but is still "alive" 				
Customized Electronic	 Method to send an electronic refund/coupon value voucher to individuals for use with On Request Utility/System (and also outside 		5		

- of such a system)
- Within Intentionality levels
- Customize "Motivational Incentive Required for Action"
- Provides "feedback"/validation for system to "know" purchase has been made and to participate in promotional dollars (e.g. "Preferred Offer") (MIRA)
- Tiered by some logic ("distance" from purchase time; geography)
- Not tiered

Category	Spe	Specific Feature/Aspect	Linkage	₹	<u> </u>	2	చ
Proactive Solicitation by On Request System of User's Interest	•	Method by which On Request Utility proactively, directly polls via e-mail/eMessaging, from time to time, users asking, for example:		4		≺	
		 Do you want updates/offers from any of the following? Marketers, organizations (in preferred status) 		·			
		 These entities offer to give member special offers/deals 					
		 Enable companies to have their users self-identify 					
		 "These companies are looking to contact you:" if interested the Request Utility can send e-mail/eMessaging 					
On Request Internal System Capabilities	•	Means by which On Request system generates tracking code for each advertiser, each e-mail/eMessaging and each billing event	į	ω	≺ ′		
	•	Each user is given his own On Request e-mail/eMessaging account for receipt/delivery and behavior tracking (see later entry)		ъ	<u>-</u>		
	•	B2B web site for advertisers where they can post their latest email/eMessaging offers—onto the On Request Utility's central DB		5	~		
	•	Designed to become intelligent, self-learning system for relational electronic marketing		5		~	

Page 27/31 of Figure 16

PIN access

Networking • Together		•				"Targeting Pool" (Re-Aggregation With On Request Utility					Category
Method for networking together numerous On Request Utility applications and their respective user bases to enable:	 Pay for the "cream" first, then for the "milk" 	Frgo, advertiser who wants to spend only \$25,000 gets the "cream" first, then less highly intentioned users	Method for using duration/amount of information requested as predictive for Intentionality Quotient/Level of Intentionality	 Use of NCM systems for optimization 	 Segmenting or creating the hierarchical prospectivity pool 	Method to re-aggregate users into "better quality" targeting pool "on the fly" to optimize advertiser performance	Same, but using distributed databases (clusters)	 Polling of central database where commercial e-mails/eMessages are posted 	 Quality assurance function 	- Enrollment	Specific Feature/Aspect
											Linkage
		И	ر. د			G	5	თ			IP
,								~			<u> </u>
		~	~			~	~				2
											చ

Multiple

System Integration

Expandable Input Form for On Request Utility					On Request Message Customization	Embodiments of On Request Utility	And	Applications	Category
 Means of expanding the size of an input form for an On Request Information utility 	 Etc. Method for customization of message driven by "knowledge" of user 	Price	- Offer	- Content	 Method for customizing elements of the e-mail/eMessage to different users, (delivered as a result of user employment of On Request Utility) according to: 	 Aggregation of audience for advertiser "reach" requirements 	 Aggregation of information demand 	 Scale economies 	Specific Feature/Aspect
									Linkage
· ·	л				У				₽
									<u> </u>
ļ -	<				~				v2 v3

Or, it may be embodied as a pull-down from the browser

The form appears as part of the GUI

	Category
 Or, it may be embodied as a pop-up or window Or, it may be embodied as a third party web site/portal functionality Or, it may be embodied as its own self-standing web site or portal The input form has an irreducible size in which its basic functions are incorporated As the user designates active requests, the area in which the list of active requests appears will expand in size This expansion will continue to some system-designated limit (e.g., 4-6 lines) Whereupon, any additional active requests will be available by scrolling up or down 	Specific Feature/Aspect
·	Linkage
	 =
	<u> </u>
	v2 v3

System

Means by which MISTI (patented) can serve as natural language input and search system for On Request Utility

Searches Web for "same"

|≤ చ

₹

Polls/compares

Selects for each user a "set"

Extracts web site info and "repackages" as e-mail/eMessage

Within On Request Utility's "format"

User may respond via Utility

Request Utility "forwards" to marketer the "responses"

Leverage for signing an advertising "contract"

Question: can MISTI put "metatags" in place or must that be done by the information source/provider itself?

Page 31/31 of Figure 16